



TAMIL NADU VETERINARY AND ANIMAL SCIENCES UNIVERSITY

AGROMET FIELD UNIT, VETERINARY COLLEGE AND RESEARCH INSTITUTE, NAMAKKAL

AND

REGIONAL METEOROLOGICAL CENTRE, INDIA METEOROLOGICAL DEPARTMENT, CHENNAI.



Weather Advisory Bulletin – 3 Days – Namakkal

Weather Advisory Bulletin – 3 Days – Namakkal

Bulletin No. 93/2017

Date: 21.11.2017

A) Weather for the last four days at Namakkal (17.11.2017 to 20.11.2017)

Average daily rainfall (mm)	1.62 – 0 – 0 – 0
Maximum Temperature	34.0°C (93.2°F)
Minimum Temperature	24.0°C (75.2°F)
Cloud cover	Partly Cloudy
Relative Humidity	55 – 92%
Wind Speed (km/hr)	2
Wind Direction	Southeast

B) Weather for the next three days (Short-range weather forecasting of IMD, Pune)

Sl. No	Parameters	22.11.2017	23.11.2017	24.11.2017
1.	Cloud cover	Partly Cloudy	Partly Cloudy	Partly Cloudy
2.	Rain (mm)	3	2	0
3.	Wind Speed (km/hr)	3	3	3
4.	Wind Direction from	Southeast	Southeast	Southeast
5.	Temperature:			
	Maximum	34.0°C (93.2°F)	34.0°C (93.2°F)	33.0°C (91.4°F)
	Minimum	24.0°C (75.2°F)	24.0°C (75.2°F)	24.0°C (75.2°F)
6.	Relative Humidity			
	Maximum (%)	80	80	75
	Minimum (%)	65	65	65

C) Special Weather Advisory Bulletin for Poultry Farming:

1. For next three days, the sky will be partly cloudy with chances of isolated mild rainfall. Maximum and minimum temperature will be 34.0°C (93.2°F) and 24.0°C (75.2°F) respectively. Wind speed will be around 3 km/hour, mostly from southeast direction. Relative humidity will range from 65 to 80 %.
2. With the moderate activity of Northeast monsoon, mild rainfall is expected in isolated places. Since, day time temperature will reach 34.0°C (93.2°F), evening showers may occur at one or two places. As the temperature remains at normal level, feed intake and egg production remain normal in poultry. Care should be taken while using and storing of high moisture maize.

D) Special Agroadvisory from Krishi Vigyan Kendra, Namakkal:

3. This season is suitable for cultivation of tapioca. Hence, farmers are advised to dip the setts in *Trichoderma viride* solution (4g/lit of water) for 20 minutes before planting.

Professor and Head, Nodal Officer,
Agromet Advisory Services and,
Animal Feed Analytical and Quality Assurance Lab.,
Veterinary College and Research Institute, Namakkal.